



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems

UltraTouch[®] SoftSounds[™] Natural Cotton Fiber Insulation

THE INSULATION
ALTERNATIVE
EVERYONE'S
BEEN ITCHING FOR.

Continued on Next Page

- Soundproofing Products • Sonex[™] Ceiling & Wall Panels • Sound Control Curtains • Equipment Enclosures • Acoustical Baffles & Banners • Solid Wood & Veneer Acoustical Ceiling & Wall Systems
- Professional Audio Acoustics • Vibration & Damping Control • Fire Retardant Acoustics • Hearing Protection • Moisture & Impact Resistant Products • Floor Impact Noise Reduction
- Sound Absorbers • Noise Barriers • Fabric Wrapped Wall Panels • Acoustical Foam (Egg Crate) • Acoustical Sealants & Adhesives • Outdoor Noise Control • Assistive Listening Devices
- OSHA, FDA, ADA Compliance • On-Site Acoustical Analysis • Acoustical Design & Consulting • Large Inventory • Fast Shipment • No Project too Large or Small • Major Credit Cards Accepted



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems

It's about time for...

UltraTouch SoftSounds Natural Cotton Fiber Insulation



UltraTouch SoftSounds introduces a revolutionary insulation featuring the ideal blend of comfort, safety and performance. It's called UltraTouch SoftSounds and the name says it all. Made from recycled natural fibers, UltraTouch SoftSounds delivers more performance than fiberglass without all of the cumbersome disadvantages, while answering the growing demand for products made with recycled content.

WARNING: UltraTouch SoftSounds DOES NOT REQUIRE A WARNING LABEL

No itch, no irritation, no respiratory or safety equipment.

UltraTouch SoftSounds is made from natural recycled cotton and other natural fibers. It feels as soft and gentle to the skin as the clothes you wear, so there's absolutely no itch or irritation. In fact, UltraTouch SoftSounds is so easy to handle, it carries no warning labels and requires no respiratory equipment or other safety measures. While fiberglass is listed as a possible cancer causing substance, UltraTouch SoftSounds contains no harmful man-made fibers or chemical irritants. Without the nuisances of itchy skin, face masks and protective clothing, your installers will be able to work faster, more safely and be more productive.



A better choice for the environment.

Natural fibers utilized by UltraTouch SoftSounds are **100% recyclable**, so it helps reduce overall landfill waste. UltraTouch SoftSounds is also earth-friendly because it's manufactured from mostly recycled content using a minimal amount of energy. Fiberglass manufacturing consumes much more energy and will not breakdown in the environment.

All of these factors make UltraTouch SoftSounds a more appealing option for homeowners, and the insulation of choice for today's environmentally responsible contractor.

Superior R-value performance and acoustical properties.

Fiberglass insulation loses thermal resistance in extreme cold. UltraTouch SoftSounds, however, maintains its effectiveness when the mercury plummets. UltraTouch SoftSounds is more dense than fiberglass, so it retains its thermal properties better. In addition, UltraTouch SoftSounds has an extremely high Noise Reduction Coefficient that makes it more effective than fiberglass in controlling airborne sound transmission, including traffic, airplanes, radios, televisions and conversation.

Continued on Next Page



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems




UltraTouch
SoftSounds
Natural
Cotton Fiber
Insulation

Call Today
1-800-448-0121

Continued on Next Page

Natural Fiber Insulation Batt R-19 (Thickness = 5-1/2")
AS-SA1711; NRC 1.15



- Soundproofing Products • Sonex™ Ceiling & Wall Panels • Sound Control Curtains • Equipment Enclosures • Acoustical Baffles & Banners • Solid Wood & Veneer Acoustical Ceiling & Wall Systems
- Professional Audio Acoustics • Vibration & Damping Control • Fire Retardant Acoustics • Hearing Protection • Moisture & Impact Resistant Products • Floor Impact Noise Reduction
- Sound Absorbers • Noise Barriers • Fabric Wrapped Wall Panels • Acoustical Foam (Egg Crate) • Acoustical Sealants & Adhesives • Outdoor Noise Control • Assistive Listening Devices
- OSHA, FDA, ADA Compliance • On-Site Acoustical Analysis • Acoustical Design & Consulting • Large Inventory • Fast Shipment • No Project too Large or Small • Major Credit Cards Accepted



Acoustical Surfaces, Inc.

SOUNDPROOFING, ACOUSTICS, NOISE & VIBRATION CONTROL SPECIALISTS

123 Columbia Court North • Suite 201 • Chaska, MN 55318
(952) 448-5300 • Fax (952) 448-2613 • (800) 448-0121

Email: sales@acousticalsurfaces.com
Visit our Website: www.acousticalsurfaces.com

We Identify and **S.T.O.P.** Your Noise Problems

Comfort, Safety and Performance fiberglass can't touch.

	UltraTouch SoftSound	Fiberglass
Made From Natural Fiber	YES!	NO
Doesn't Require Warning Label	YES!	NO
Mostly Recycled Content	YES!	NO
No-Itch Handling	YES!	NO
Non-Toxic/No Respiratory or Other Safety Equipment Recommended	YES!	NO
Retains R-value in Colder Conditions	YES!	NO
Superior Acoustical Properties	YES!	NO
Requires Less Energy to Manufacture	YES!	NO
Earth Friendly	YES!	NO
Does NOT contain Formaldehyde	YES!	NO

PRODUCT TESTING

UltraTouch SoftSounds has been tested using existing ASTM specification and test methods for batt insulation: ASTM C665, ASTM C518, ASTM E96, ASTM E84, ASTM E970.

These tests include: Thermal Resistance • Surface Burning Characteristics • Water Vapor, Moisture Vapor Absorption • Odor Emission • Corrosiveness • Fungi Resistance • Starch



“UltraTouch SoftSounds brings a newfound level of comfort and safety for the contractor and the home owner.”

Call Today 1-800-448-0121